## 3.3. Personalized website content

No.	Title of cookies	Retentio n period	Cookies description	First party cookie	Third party cookie	Type of the solution, information on a service provider of the cookie, data transfer to third party (if any) and data transfer outside European Union (if any)	Data processed	Websites where cookie is used
3.3.1.	insdrPushCookieStatus	1 day	Shows opt-in according to its existence		х	Type of the solution – Cookie – Hotjar; The Service provider of	User session data, user id, if returned visitor, viewport data (device size),	https://www.airbaltic .com Websites where
3.3.2.	migratedSDK	2 months	Stores already registered sdk path		х	cookies – airBaltic, Hotjar; Data are not transferred to third parties and data are not	visited websites/blocks on websites/buttons info Data processed	cookie is used <a href="https://www.airbaltic.com">https://www.airbaltic.com</a>
3.3.3.	native-permission-impression	1 year	Stores the status between the user and native opt-in permission screen. It helps us to show opt-in screen again for the users who didn't see it.		X	transferred outside European Union Type of the solution, information on a service provider of the cookie, data transfer to third party (if any) and data transfer outside European Union (if any) Type of the solution – Cookie – Hotjar; The Service provider of cookies – airBaltic, Hotjar; Data are not transferred to	User session data, user id, if returned visitor, viewport data (device size), visited websites/blocks on websites/buttons info	
3.3.4.	insdrSubsIdCreateDate	2 months	Creation date of Web Push Token.		х	third parties and data are not transferred outside European Union		
3.3.5.	push-request-sent	2 months	Collects opt-in log according to its existence		х			
3.3.6.	insdrPayloadComplete	2 months	Used for checking if user has token and sw migration required		х			

Confirms that token has been given by vapid key  Web Push Token of the user.  Holds the Custom User Attributes that defined by the		x x
been given by vapid key  Web Push Token of the user.  Holds the Custom User Attributes that		
vapid key  Web Push Token of the user.  Holds the Custom User Attributes that		
vapid key  Web Push Token of the user.  Holds the Custom User Attributes that		
Web Push Token of the user.  Holds the Custom User Attributes that		
Token of the user.  Holds the Custom User Attributes that		x
Holds the Custom User Attributes that		x
Holds the Custom User Attributes that		X
Custom User Attributes that		x
Custom User Attributes that		×
Attributes that		
defined by the		
partner.	-	
		×
unique		
visited partner		
site.		
		x
attribute		
$information \ of \\$		
the users.		
Spriditis	х	
unique ID		
Houn ide ea vis sit Hour at infinite the Sp	ortner.  olds the hique entifier of ch user sited partner e.  olds the tribute formation of e users.	ortner.  olds the sique entifier of ch user sited partner e.  olds the tribute formation of e users.