

3.2. Statistics

No.	Title of cookies	Retention period	Cookie description	First party cookie	Third party cookie	Type of the solution, information on a service provider of the cookie, data transfer to third party (if any) and data transfer outside European Union (if any)	Data processed	Websites where cookie is used
3.2.1.	_hjAbsoluteSessionInProgress	30 min	User to detect pageview session of user		x	<p>Type of the solution – Cookie – Hotjar; The Service provider of cookies – airBaltic, Hotjar; Data are not transferred to third parties and data are not transferred outside European Union</p> <p>Type of the solution, information on a service provider of the cookie, data transfer to third party (if any) and data transfer outside European Union (if any)</p> <p>Type of the solution – Cookie – Hotjar; The Service provider of cookies – airBaltic, Hotjar; Data are not transferred to third parties and data are not transferred outside European Union</p>	<p>User session data, user id, if returned visitor, viewport data (device size), visited websites/blocks on websites/buttons info</p> <p>Data processed</p> <p>User session data, user id, if returned visitor, viewport data (device size), visited websites/blocks on websites/buttons info</p>	<p>https://www.airbaltic.com</p> <p>Websites where cookie is used</p> <p>https://www.airbaltic.com</p>
3.2.2.	UUID	1 year	User Identifier		x			
3.2.3.	_hjFirstSeen	session	Identifies a new users first session		x			
3.2.4.	_hjIncludedInPageviewSample	30 min	Set to determine if a user is included in the data sampling defined by your site's pageview limit		x			
3.2.5.	_hjIncludedInSessionSample	30 min	Set to determine if a user is included in the data sampling defined by your site's daily session limit		x			
3.2.6.	_hjRecordingLastActivity	session	Set in Session storage as opposed to cookies.		x			
3.2.7.	_hjSession_#	30 min	Current session data		x			

3.2.8.	_hjSessionUser_#	1 year	Set when a user first lands on a website.		x			
3.2.9.	_hjViewportId	session	Stores user viewport details such as size and dimensions		x			
3.2.10.	_hjRecordingEnabled	session	Set when a Recording starts.		x			
3.2.11.	_hjTLDDTest	session	Enables to try to determine the most generic cookie path to use, instead of website hostname		x			
3.2.12.	_hjDonePolls	1 year	Set when a user completes an on-site Survey		x			
3.2.13.	_hjDoneSurveys	1 year	Set when a user completes an on-site Survey		x			
3.2.14.	_hjDoneTestersWidgets	1 year	Store performed actions on the website		x			
3.2.15.	_hjIncludedInSample	session	Store anonymized statistics		x			
3.2.16.	_hjMinimizedPolls	1 year	Store if a message has been dismissed		x			
3.2.17.	_hjMinimizedTestersWidgets	1 year	Store if a message has been dismissed		x			
3.2.18.	hj-sref	1 year	To store analytical data for Hotjar		x			

3.2.19.	_hjShownFeedbackMessage	1 year	Store if a message has been shown		x			
3.2.20.	_scid	1 year	Unique id for visitor		x			
3.2.21.	_clck	1 year	To store information of how visitors use a website and help in creating an analytics report of how the website is doing		x			
3.2.22.	OptanonAlertBoxClosed	1 year	To store information if user accepted cookie on banner		x			
3.2.23.	OptanonConsent	1 year	To store information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category		x			
3.2.24.	ajs_anonymous_id	1 year	Randomly generated ID for anonymous users		x			
3.2.25.	_hjClosedSurveyInvites	1 year	Store if a message has been shown		x			